



Steel Products





Cold Rolled Steel Coil

Standard : GB/JIS/ASTM/EN/DIN

Grade : Q195, Q215, Q235, 08AL, SPCC, SPCD, etc

Thickness: 0.12-5.0mm

Width : 600-1500mm

Coil ID : 508/610mm



Hot Rolled Steel


Standard : GB/JIS/ASTM/EN/DIN

Grade : Q195, Q215, Q235, 08AL, SPCC, SPCD, etc

Thickness: 6.0-400mm

Length : 1-12m or as per requirements

Width : 800-3300mm



Corrugated Roofing Sheet


Material : Grade S550GD+Z

Thickness : 0.13-0.7mm

Width : 750mm, 760mm, 900mm, etc

Length : As per requirements

Sheet Weight: 2-4 tons or as per requirements



GI/GL Steel Coil/Sheet

Standard: GB/JIS/AISI/ASTM/EN

Width: 600-1250mm

Thickness: 0.12-2.5mm

Coating: 30-275g/m²

Grade:

DX51D+Z(ZF), DX52D+Z(ZF), DX53D+Z(ZF),
DX54D+Z(ZF), S220GD+Z(ZF), S250GD+Z(ZF),
S280GD+Z(ZF), etc



PPGI/PPGL



<u>Standard</u>	: GB/JIS/AISI/ASTM/EN
<u>Material</u>	: SGCC, S350GD+Z, S550GD+Z, DX51D, etc
<u>Width</u>	: 600-1500mm
<u>Thickness</u>	: 0.12-4.0mm
<u>Top Paint Thickness</u>	: 15~25μm
<u>Bottom Paint Thickness</u>	: 5~20μm
<u>Coated Material</u>	: PE, SMP, HDP, PVDF, PU
<u>Coil ID/OD</u>	: 508/610mm, OD800-1500mm
<u>Color</u>	: RAL Color
<u>Coating Technique</u>	: 1/1, 2/1, 2/2 layer coating



Steel Pipe

<u>Standard</u>	: ASTM A213, ASTM A312, ASTM A269, JIS, GB
<u>Type</u>	: Seamless/Welded
<u>Material</u>	: SUS201, 304, 304L, 316, 316L, 309S, etc
<u>Thickness</u>	: 0.3-80mm
<u>OD</u>	: 6-800mm

